

## PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-000098-LIC  
ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368Sample **BOOST Delta 8 Tincture**

Sample ID	SD220809-034 (50870)	Matrix	Tincture (Other Cannabis Good)
Tested for	Pops Premium Hemp		
Sampled	-	Received	Aug 08, 2022
Analyses executed	CAN+	Unit Volume (mL)	30.0
		Reported	Aug 11, 2022
		Density (g/mL)	1.0

## CAN+ - Cannabinoids Analysis

Analyzed Aug 11, 2022 | Instrument HPLC-VWD | Method SOP-001

Measurement Uncertainty at 95% confidence 7.806%

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/mL	Result mg/Package
Cannabidiol (CBD)	0.039	0.16	ND	ND	ND
Cannabidiol Acid (CBDA)	0.001	0.16	ND	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND	ND
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND	ND
Tetrahydrocannabinol ( $\Delta$ 9-THC)	0.003	0.16	0.14	1.37	41.15
$\Delta$ 8-tetrahydrocannabinol ( $\Delta$ 8-THC)	0.004	0.16	3.83	38.31	1149.44
Cannabicyclol (CBL)	0.002	0.16	ND	ND	ND
Cannabichromene (CBC)	0.002	0.16	ND	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND	ND
<b>Total THC (THCa * 0.877 + THC)</b>			<b>0.14</b>	<b>1.37</b>	<b>41.15</b>
<b>Total CBD (CBDA * 0.877 + CBD)</b>			<b>ND</b>	<b>ND</b>	<b>ND</b>
<b>Total CBG (CBGA * 0.877 + CBG)</b>			<b>ND</b>	<b>ND</b>	<b>ND</b>
<b>TOTAL CANNABINOIDS</b>			<b>3.97</b>	<b>39.68</b>	<b>1190.59</b>

## Sample photography



UI Not Identified  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1  
 gram  
 TNTC Too Numerous to Count



Scan the QR code to  
verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Lab Manager  
Thu, 11 Aug 2022 13:39:06 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1