

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

Certificate of Analysis

1 of 2



Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

ND	0.904 %	1.46 %	Not Te	sted Not Tested	Yes
Total ∆9-THC	Δ8-THC	Total Cannabinoids	Moisture	Content Foreign Matter	Internal Standard Normalization
Analyte	LO (%		LOQ (%)	Result (%)	Result (mg/g)
СВС	0.00	95	0.0284	ND	ND
CBCA	0.01	81	0.0543	ND	ND
BCV	0.006		0.018	ND	ND
BD	0.0081		0.0242	ND	ND
BDA	0.0043		0.013	ND	ND
BDV	0.0061		0.0182	ND	ND
BDVA	0.0021		0.0063	ND	ND
BG	0.00	57	0.0172	ND	ND
BGA	0.00	49	0.0147	ND	ND
BL	0.01	12	0.0335	ND	ND
BLA	0.01	24	0.0371	ND	ND
BN	0.00	956	0.0169	0.557	5.57
BNA	0.00	06	0.0181	ND	ND
8-THC	0.01	04	0.0312	0.904	9.04
9-ТНС	0.0076		0.0227	ND	ND
9-THCA	0.0084		0.0251	ND	ND
9-THCV	0.0069		0.0206	ND	ND
9-THCVA	0.0062		0.0186	ND	ND
otal Δ9-THC	9-ТНС			ND	ND
otal CBD				ND	ND
otal				1.46	14.6

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

oyuur

Generated By: Alex Morris Quality Assurance Manager Date: 01/28/2022

Tested By: Scott Caudill Senior Scientist Date: 01/27/2022




This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

2 of 2



AMorris

Generated By: Alex Morris Quality Assurance Manager Date: 01/28/2022

Tested By: Scott Caudill Senior Scientist Date: 01/27/2022





This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risk associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.