2567 Valley View Ln, Dallas, TX 75234, United States I TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01



Sample THCA + CBG | Diamond Infused Pre Roll

Sample ID:	BBL_4982	Matrix:	Flower	Analyses Executed:	CAN
Company:	D Squaredworldwide INC	Batch ID:	THCA + CBG I Diamond Infused Pre Roll	Reported:	29 Sep, 2023
Phone:	281-612-1660	Received:	26 Sep, 2023		
Address:	22936 Kuykendahl Road, Suite B, S	pring Texas	3.		
Email:	info@dsquaredworldwide.com		X.Y		


Lab Notes: Results reported for sample as received. THCP, HHCP, HHCO, D8-iso-THC, D8-THCV and D10-THC are not A2LA accredited.

Cannabinoid Profile Analysis

Analyzed 26 Sep, 2023 I Instrument HPLC-PDA I Method TM-101 Uncertainty Measurement at 95% confidence level is 10%, k=2

	V .				
Analyte	LOD (ppm)	LOQ (ppm)	Result %	Result (mg/g)	
Cannabidivarinic acid (CBDVa)	0.030	0.080	ND	ND	
Cannabidivarin (CBDV)	0.050	0.150	ND	ND	
Cannabidiolic acid (CBDa)	0.040	0.110	ND	ND	
Cannabidiol (CBD)	0.060	0.190	ND	ND	
Cannabigerolic acid (CBGa)	0.040	0.120	13.9979	139.979	
Cannabigerol (CBG)	0.080	0.230	0.955	9.55	
Cannabinolic acid (CBNa)	0.080	0.250	ND	ND	
Cannabinol (CBN)	0.040	0.120	ND	ND	
Cannabichromenic acid (CBCa)	0.350	1.060	ND	ND	
Cannabichromene (CBC)	0.090	0.280	0.2451	2.451	
Cannabicyclol (CBL)	0.210	0.640	ND	ND	
D9-Tetrahydrocannabinolic acid (THCa)	0.130	0.400	6.8187	68.187	
D9-Tetrahydrocannabinol (D9-THC)	0.120	0.360	ND	ND	
Tetrahydrocannabivarinic acid (THCVa)	0.050	0.160	ND	ND	
Tetrahydrocannabivarin (THCV)	0.080	0.240	ND	ND	
D8-Tetrahydrocannabinol (D8-THC)	0.140	0.430	ND	ND	
Total THC (THCa * 0.877 + THC)			5.98	59.8	
Total CBD (CBDa * 0.877 + CBD)			ND	ND	
Total CBG (CBGa * 0.877 + CBG)			13.2312	132.3116	
Total Cannabinoids			22.0167	220.167	

Sample Photography



NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count





Scan the QR code t verify authenticity.

Dr. Archana R. Parameswar, Laboratory Director 29 Sep. 2023 03:40:56 PM