



Order #: 87553
Retail Batch #:
TMEnergy24

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-00004

Order Information

Order #: 87553
Order Name: Energy Mints
Retail Batch #: TMEnergy24
Received: 06/25/2024 12:52:40
Complete: 08/09/2024 20:52:23

Batch Information

Create Date: Total Qty.: 0
Exp. Date: Matrix: Hard Lozenge
Size: 0 Pickup Weight: N/A

CANNABINOID PROFILE TESTED	LABEL CLAIM PASS	MICROBIAL ANALYSIS PASS
RESIDUAL SOLVENTS PASS	AGRICULTURAL AGENTS PASS	HEAVY METAL ANALYSIS PASS
TERPENES NOT TESTED	MOISTURE ANALYSIS NOT TESTED	WATER ACTIVITY NOT TESTED
FILTH & FOREIGN NOT TESTED	HOMOGENEITY NOT TESTED	MYCOTOXIN ANALYSIS PASS



0.2678 %
Total THC

0.0000 %
Total CBD

0.5133 %
Total Cannabinoids

Robert Miller PhD.

Laboratory Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-00004



Order #: 87553
Retail Batch #:
TMEnergy24

Sample Prep

Tech: 3445
SOP: 418
Batch Number: 63128
Batch Date: 06/25/2024 11:53:18

Sample Analysis

Date/Time: 06/26/2024 18:30:42
Tech: 3445
SOP: 417
Final Weight: 0.2087 g
Volume: 40 ml

CANNABINOID PROFILE

HPLC-DAD

0.2678 % Total THC	2.624 mg THC Per Unit	26.244 mg THC Per Pkg
ND Total CBD	ND CBD Per Unit	ND CBD Per Pkg
0.5133 % Total Cannabinoids	5.030 mg Cannabinoids Per Unit	50.303 mg Cannabinoids Per Pkg

Cannabinoid Potency

ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR.
CBC	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBD	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBDA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBDV	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBG	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBGA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBN	0.064/0.1954	1	ND	ND	ND	ND	--	--
d8-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
d9-THC	0.064/0.1954	1	0.2678	2.678	2.624	26.244	25	5
THCA	0.064/0.1954	1	ND	ND	ND	ND	--	--
THCV	0.064/0.1954	1	0.2455	2.455	2.406	24.059	25	3.8

mg/unit = 0.98 (g) per unit x cannabinoid concentration (mg/g)
Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

CANNABINOID TOTALS	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE
Total THC	0.2678	2.678	2.624	26.244
Total CBD	ND	ND	ND	ND
Total Cannabinoids	0.5133	5.133	5.030	50.303

Robert Miller PhD.

Laboratory Director



ACT Laboratories Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 87553
Retail Batch #:
TMEnergy24

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-00004

Agricultural Agents

GC-MS/MS

PASS

Sample Prep

Tech: 4090
SOP: 402
Batch Number: 63353
Batch Date: 08/01/2024 13:35:17

Sample Analysis

Date/Time: 08/05/2024 14:11:40
Tech: 2816
SOP: 402
Final Weight: 0.4815 g
Volume: 10 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)
Captan	0.07/0.1	1	3	ND
Chlordane	0.01/0.1	1	0.1	ND
Chlorfenapyr	0.01/0.1	1	0.1	ND
Coumaphos	0.01/0.1	1	0.1	ND
Cyfluthrin	0.01/0.1	1	1	ND
Cypermethrin	0.01/0.1	1	1	ND
Methyl parathion	0.01/0.1	1	0.1	ND
Pentachloronitrobenzene	0.01/0.1	1	0.2	ND

MYCOTOXIN ANALYSIS

LC-MS/MS

PASS

Sample Prep

Tech: 4090
SOP: 432
Batch Number: 63354
Batch Date: 08/01/2024 13:35:28

Sample Analysis

Date/Time: 08/05/2024 14:31:22
Tech: 2816
SOP: 424
Final Weight: 0.1061 g
Volume: 2.5 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LEVEL (ppb)	RESULTS (ppb)
Aflatoxin B1	2/10	1	20	ND
Aflatoxin B2	2/10	1	20	ND
Aflatoxin G1	2/10	1	20	ND
Aflatoxin G2	2/5	1	20	ND
Ochratoxin A	2/10	1	20	ND

Robert Miller PhD.

Laboratory Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-00004



Order #: 87553
Retail Batch #:
TMEnergy24

Agricultural Agents

LC-MS/MS

PASS

Sample Prep

Tech: 4090
SOP: 432
Batch Number: 63354
Batch Date: 08/01/2024 13:35:28

Sample Analysis

Date/Time: 08/05/2024 14:31:22
Tech: 2816
SOP: 424
Final Weight: 0.1061 g
Volume: 2.5 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL(ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT(ppm)	RESULTS (ppm)
Abamectin B1a	0.002/0.035	1	0.3	ND	Imazalil	0.002/0.01	1	0.1	ND
Acephate	0.002/0.04	1	3	ND	Imidacloprid	0.002/0.002	1	3	ND
Acequinocyl	0.002/0.002	1	2	ND	Kresoxim-methyl	0.002/0.002	1	1	ND
Acetamiprid	0.002/0.002	1	3	ND	Malathion	0.01/0.04	1	2	ND
Aldicarb	0.002/0.01	1	0.1	ND	Metalaxyl	0.002/0.004	1	3	ND
Azoxystrobin	0.002/0.04	1	3	ND	Methiocarb	0.002/0.01	1	0.1	ND
Bifenazate	0.002/0.002	1	3	ND	Methomyl	0.002/0.002	1	0.1	ND
Bifenthrin	0.002/0.002	1	0.5	ND	Mevinphos	0.009/0.036	1	0.1	ND
Boscalid	0.01/0.05	1	3	ND	Myclobutanil	0.002/0.04	1	3	ND
Carbaryl	0.002/0.004	1	0.5	ND	Naled	0.002/0.01	1	0.5	ND
Carbofuran	0.002/0.01	1	0.1	ND	Oxamyl	0.002/0.002	1	0.5	ND
Chlorantraniliprole	0.002/0.01	1	3	ND	Paclobutrazol	0.002/0.004	1	0.1	ND
Chlormequat chloride	0.002/0.004	1	3	ND	Permethrins	0.002/0.01	1	1	ND
Chlorpyrifos	0.002/0.01	1	0.1	ND	Phosmet	0.002/0.002	1	0.2	ND
Clofentezine	0.002/0.002	1	0.5	ND	Piperonyl Butoxide	0.002/0.002	1	3	ND
Daminozide	0.01/0.04	1	0.1	ND	Prallethrin	0.002/0.01	1	0.4	ND
Diazinon	0.002/0.01	1	0.2	ND	Propiconazole	0.002/0.04	1	1	ND
Dichlorvos	0.002/0.04	1	0.1	ND	Propoxur	0.002/0.01	1	0.1	ND
Dimethoate	0.002/0.002	1	0.1	ND	Pyrethrins	0.001/0.013	1	1	ND
Dimethomorph	0.001/0.002	1	3	ND	Pyridaben	0.002/0.002	1	3	ND
Ethoprophos	0.002/0.01	1	0.1	ND	Spinetoram	0.001/0.003	1	3	ND
Etofenprox	0.002/0.002	1	0.1	ND	Spinosad	0.001/0.001	1	3	ND
Etoxazole	0.002/0.002	1	1.5	ND	Spiromesifen	0.002/0.002	1	3	ND
Fenhexamid	0.01/0.04	1	3	ND	Spirotetramat	0.002/0.01	1	3	ND
Fenoxycarb	0.002/0.004	1	0.1	ND	Spiroxamine	0.002/0.04	1	0.1	ND
Fenpyroximate	0.002/0.002	1	2	ND	Tebuconazole	0.01/0.04	1	1	ND
Fipronil	0.002/0.004	1	0.1	ND	Thiacloprid	0.002/0.002	1	0.1	ND
Fonicamid	0.002/0.01	1	2	ND	Thiamethoxam	0.002/0.01	1	1	ND
Fludioxonil	0.002/0.004	1	3	ND	Trifloxystrobin	0.002/0.002	1	3	ND
Hexythiazox	0.002/0.004	1	2	ND					

Robert Miller PhD.

Laboratory Director



ACT Laboratories Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-00004



Order #: 87553
Retail Batch #:
TMEnergy24

RESIDUAL SOLVENTS

HS-GC-MS

PASS

Sample Prep

Tech: 2816
SOP: 405
Batch Number: 63370
Batch Date: 08/06/2024 15:12:57

Sample Analysis

Date/Time: 08/08/2024 16:32:11
Tech: 2816
SOP: 405
Final Weight: 0.05 g
Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
1,1-Dichloroethene	0.6/0.63	1	8	ND	Heptane	6/140	1	5000	ND
1,2-Dichloroethane	0.012/0.12	1	2	ND	Hexanes	0.06/18	1	250	ND
Acetone	9/140	1	750	ND	Isopropyl alcohol	3/140	1	500	ND
Acetonitrile	0.72/25	1	60	<LOQ	Methanol	6/100	1	250	<LOQ
Benzene	0.06/1	1	1	ND	Methylene chloride	1.5/1.5	1	125	ND
Butane	48/50	1	5000	ND	Pentane	9/140	1	750	ND
Chloroform	0.2/1	1	2	ND	Propane	30/30	1	5000	ND
Ethanol	12/140	1	5000	<LOQ	Toluene	0.9/53	1	150	ND
Ethyl acetate	2.4/140	1	400	ND	Total xylenes	1.8/130	1	150	ND
Ethyl ether	6/140	1	500	ND	Trichloroethylene	0.3/1	1	25	ND
Ethylene oxide	0.6/2	1	5	ND					

HEAVY METAL ANALYSIS

ICP-MS

PASS

Sample Prep

Tech: 2816
SOP: 428
Batch Number: 63363
Batch Date: 08/05/2024 13:52:28

Sample Analysis

Date/Time: 08/07/2024 14:39:56
Tech: 2816
SOP: 428
Final Weight: 0.224 g
Volume: 60 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LIMIT (ppb)	RESULTS (ppb)
Arsenic	20/75	1	1500	ND
Cadmium	20/75	1	500	ND
Lead	20/75	1	500	ND
Mercury	20/75	1	3000	ND

Robert Miller PhD.

Laboratory Director



ACT Laboratories Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 87553
Retail Batch #:
TMEnergy24

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-00004

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 4090
SOP: 406

Batch Number: 63359
Batch Date: 08/02/2024 15:26:02

Date/Time: 08/04/2024 15:00:34
Tech: 4302
SOP: 406

Sample Analysis

Final Weight: 1.0074 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total yeast and mold	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 4090
SOP: 406

Batch Number: 63360
Batch Date: 08/02/2024 15:30:37

Date/Time: 08/04/2024 15:02:39
Tech: 4302
SOP: 406

Sample Analysis

Final Weight: 1.0066 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Salmonella	qPCR	< 1 CFU/g	NOT DETECTED	PASS
STEC e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Sample Prep

Tech: 4090
SOP: 406

Batch Number: 63360
Batch Date: 08/02/2024 15:30:37

Date/Time: 08/04/2024 15:02:39
Tech: 4302
SOP: 406

Sample Analysis

Final Weight: 1.0066 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Pathogenic e. coli	qPCR	NA	NOT DETECTED	PASS

Robert Miller PhD.

Laboratory Director



ACT Laboratories Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-00004



Order #: 87553
Retail Batch #:
TMEnergy24

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 4090
SOP: 406

Batch Number: 63360
Batch Date: 08/02/2024 15:30:37

Sample Analysis

Date/Time: 08/04/2024 15:02:39
Tech: 4302
SOP: 406

Final Weight: 1.0066 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Aspergillus flavus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus fumigatus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus niger	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus terreus	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Robert Miller PhD.

Laboratory Director



ACT Laboratories Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-00004



Order #: 87553

Retail Batch #:

TMEnergy24



Robert Miller PhD.

Laboratory Director



ACT Laboratories Florida

4001 SW 47th Avenue, Suite 208

Davie, FL 33314

(954) 514-9343



